



HYBRID STEPPING MOTOR SPECIFICATION

DIMENSIONS unit=mm




Wiring Diagram



Exciting Sequence vs. Direction of Rotation

STEP	A	B	C	D	Direction
1	+	+	-	-	↓ CW ↑ CCW
2	-	+	+	-	
3	-	-	+	+	
4	+	-	-	+	

Clockwise view from mounting side



1, Number of Phase	2				
2, Step Angle	1.8° deg.				
3, Rated Voltage	4.8 V				
4, Rated Current/Phase	3 A (Peak Value)				
5, Phase Resistance	1.6 Ω±10%(20°C)				
6, Phase Inductance	7.5 mH±20%(1kHz 1V RMS)				
7, Holding Torque	28 Kg.cm				
8, Insulation Class	B (130°) ; 80K Max.				
9, Weight	1.5 kg				
Specifications		Comment			

REV.	REVISION RECORD		DATE
	DESIGN	YY 2020.06.29	
	STANDARD		
	TECHNOLOGY		
	CHECK		
	APPROVE		

www.jkongmotor.com

Specification

TITLE	STEPPING MOTOR				
DWG.NO.	JK57HS112-3004-03				
MATERIAL	ECN SIGN	* SIZE	A4		
REV.	A	SCALE	1:2	SHEET	1 of 1